

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1600RKA

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 02	STN pricing information for 2008 now available
NEWS	3	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	4	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	5	JAN 28	MARPAT searching enhanced
NEWS	6	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	7	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	8	JAN 28	MEDLINE and LMEEDLINE reloaded with enhancements
NEWS	9	FEB 08	STN Express, Version 8.3, now available
NEWS	10	FEB 20	PCI now available as a replacement to DPIC
NEWS	11	FEB 25	IFIREF reloaded with enhancements
NEWS	12	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	13	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	14	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	15	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	16	MAR 31	CA/CAPLUS and CASREACT patent number format for U.S. applications updated
NEWS	17	MAR 31	LPCI now available as a replacement to LDPCI
NEWS	18	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	19	APR 04	STN AnaVist, Version 1, to be discontinued
NEWS	20	APR 15	WPIDS, WPINDEX, and WPIX enhanced with new predefined hit display formats
NEWS	21	APR 28	EMBASE Controlled Term thesaurus enhanced
NEWS	22	APR 28	IMSRSEARCH reloaded with enhancements
NEWS EXPRESS	FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008		
NEWS HOURS	STN Operating Hours Plus Help Desk Availability		
NEWS LOGIN	Welcome Banner and News Items		
NEWS IPC8	For general information regarding STN implementation of IPC 8		

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 12:16:01 ON 30 APR 2008

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 12:16:16 ON 30 APR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 29 APR 2008 HIGHEST RN 1018438-06-6

DICTIONARY FILE UPDATES: 29 APR 2008 HIGHEST RN 1018438-06-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.


Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdnoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10538452.str



chain nodes :

13 14 15 16 17 18 19 20 27

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 21 22 23 24 25 26

chain bonds :

13-14 14-15 15-16 15-17 16-18 18-19 19-20 19-27 20-21

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 7-12 7-8 8-9 9-10 10-11 11-12 21-22 21-26
22-23 23-24 24-25 25-26

```

exact/norm bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-12 7-8 8-9 9-10 10-11 11-12 13-14 14-15
15-16 15-17 16-18 18-19 19-20 20-21
exact bonds :
19-27
normalized bonds :
21-22 21-26 22-23 23-24 24-25 25-26
isolated ring systems :
containing 1 : 7 : 21 :

```

```

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS
10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS
18:CLASS 19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS
26:CLASS 27:CLASS 31:CLASS 32:CLASS


```

L1 STRUCTURE UPLOADED

```

=> d
L1 HAS NO ANSWERS
L1 STR

```



Structure attributes must be viewed using STN Express query preparation.

```

=> s l1
SAMPLE SEARCH INITIATED 12:18:06 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

```

```

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

```

```

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
                        BATCH **COMPLETE**

```

PROJECTED ITERATIONS: 0 TO 0
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s ll full

FULL SEARCH INITIATED 12:18:09 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS


0 ANSWERS

SEARCH TIME: 00.00.01

L3 0 SEA SSS FUL L1

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10538452.str



chain nodes :
13 14 15 16 17 18 19 20 27

ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 21 22 23 24 25 26

chain bonds :
13-14 14-15 15-16 15-17 16-18 18-19 19-20 19-27 20-21

ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-12 7-8 8-9 9-10 10-11 11-12 21-22 21-26
22-23 23-24 24-25 25-26

exact/norm bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-12 7-8 8-9 9-10 10-11 11-12 13-14 14-15
15-16 15-17 16-18 18-19 19-20 20-21

exact bonds :

19-27

normalized bonds :
21-22 21-26 22-23 23-24 24-25 25-26

isolated ring systems :

containing 1 : 7 : 21 :

Match level :


1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS
10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS
18:CLASS 19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS
26:CLASS 27:CLASS 31:CLASS 32:CLASS

L4 STRUCTURE UPLOADED

=> d

L4 HAS NO ANSWERS

L4 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l4

SAMPLE SEARCH INITIATED 12:19:04 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 0 TO 0
PROJECTED ANSWERS: 0 TO 0

L5 0 SEA SSS SAM L4

=> s l4 full

FULL SEARCH INITIATED 12:19:08 FILE 'REGISTRY'


FULL SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

L6 0 SEA SSS FUL L4

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10538452.str



```

chain nodes :
13 14 15 16 17 18 19 20 27
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 21 22 23 24 25 26
chain bonds :
13-14 14-15 15-16 15-17 16-18 18-19 19-20 19-27 20-21
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-12 7-8 8-9 9-10 10-11 11-12 21-22 21-26
22-23 23-24 24-25 25-26
exact/norm bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-12 7-8 8-9 9-10 10-11 11-12 13-14 14-15
15-16 15-17 16-18 18-19 19-20 20-21
exact bonds :
19-27
normalized bonds :
21-22 21-26 22-23 23-24 24-25 25-26
isolated ring systems :
containing 1 : 7 : 21 :

```

```

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS
10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS
18:CLASS 19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS
26:CLASS 27:CLASS 31:CLASS 32:CLASS


```

L7 STRUCTURE UPLOADED

=> d

L7 HAS NO ANSWERS

L7 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l7

SAMPLE SEARCH INITIATED 12:20:10 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 2 TO ITERATE

100.0% PROCESSED

2 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 2 TO 124

PROJECTED ANSWERS: 0 TO 0

L8 0 SEA SSS SAM L7

=> s l7 full

FULL SEARCH INITIATED 12:20:13 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 31 TO ITERATE

100.0% PROCESSED

31 ITERATIONS

3 ANSWERS

SEARCH TIME: 00.00.01

L9 3 SEA SSS FUL L7

=> s l9 and caplus/lc

56580162 CAPLUS/LC

L10 3 L9 AND CAPLUS/LC

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

542.07

542.28

FILE 'CAPLUS' ENTERED AT 12:20:22 ON 30 APR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 Apr 2008 VOL 148 ISS 18
FILE LAST UPDATED: 29 Apr 2008 (20080429/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l10

L11 1 L10

=> d ibib abs hitstr

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

5.93

548.21

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-0.80

-0.80

STN INTERNATIONAL LOGOFF AT 12:20:43 ON 30 APR 2008